

METGLAS® 2605S3A Iron Base Magnetic Core

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: METGLAS® 2605S3A Iron Base Magnetic Core

OTHER/GENERIC NAMES: 2605S3A Transformer Core

PRODUCT USE: Manufacture of electric transformers

MANUFACTURER: Metglas®, Inc.

440 Allied Dr. Conway, SC - 29526

FOR MORE INFORMATION CALL:

IN CASE OF EMERGENCY CALL:

(Monday-Friday, 8:00am-5:00pm)

(24 Hours/Day, 7 Days/Week)

1-800-581-7654

1-800-581-7654 or Chemtrec 1-800-424-9300

2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	CAS NUMBER	WEIGHT %
Boron	7440-42-8	1 – 5
Chromium	7440-47-3	1 – 5
Iron	7439-89-6	85 - 95
Silicon	7440-21-3	1 – 5

Trace impurities and additional material names not listed above may also appear in Section 15 toward the end of the MSDS. These materials may be listed for local "Right-To-Know" compliance and for other reasons.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: A silver to gray metallic foil. As shipped, the primary hazard is the sharp edges of the product. If melted in a fire, toxic fumes may be released.

POTENTIAL HEALTH HAZARDS

This material is non-hazardous as shipped. Potential health hazards are related to dusts, vapors and fumes that may be generated during grinding, sanding, cutting and/or welding.

SKIN: Handling of sharp edges may cause cuts. Solid particles generated by grinding and sanding may

cause irritation.

EYES: Not a normal route of entry. Solid particles generated by grinding and sanding may cause

irritation.



METGLAS® 2605S3A Iron Base Magnetic Core

INHALATION: Vapors and fumes resulting from the grinding, sanding, cutting and/or welding of this

material are harmful if inhaled. Symptoms may include irritation of throat and respiratory

tract.

INGESTION: Not a route of entry.

DELAYED EFFECTS: Repeated inhalation of vapors and fumes may result in toxic effects to the lungs.

Although hexavalent chrome is considered a potential carcinogen, the trivalent (metallic) chrome in this product is not considered to be a carcinogen. Nevertheless, lung toxicity can result from prolonged inhalation of chrome containing dusts and

vapors.

Ingredients found on one of the OSHA designated carcinogen lists are listed below.

INGREDIENT NAME NTP STATUS IARC STATUS OSHA LIST

No ingredients listed in this section.

4. FIRST AID MEASURES

SKIN: Wash hands with soap and water.

EYES: For irritation caused by particles of dust flush eyes with running water. Seek medical assistance if irritation

persists.

INHALATION: Remove to fresh air immediately. If breathing is difficult, get immediate medical assistance.

Oxygen may be given by a person trained and qualified to administer it.

INGESTION: Not a route of entry.

ADVICE TO PHYSICIAN: Treat symptomatically.

5. FIRE FIGHTING MEASURES

FLAMMABLE PROPERTIES

FLASH POINT: None

FLASH POINT METHOD: Not applicable

AUTOIGNITION TEMPERATURE: Not applicable

UPPER FLAME LIMIT (volume % in air):

LOWER FLAME LIMIT (volume % in air):

FLAME PROPAGATION RATE (solids):

Not applicable
Not determined.

OSHA FLAMMABILITY CLASS: None

EXTINGUISHING MEDIA:

Use any standard agent for surrounding fire but flooding amounts of water is recommended if the metallic ribbon starts to burn.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Product may burn if involved in a structural fire.

Document Control Number: FRM 8200.004 Rev. 01 Title: 2605S3A Iron Base Magnetic Core



METGLAS® 2605S3A Iron Base Magnetic Core

SPECIAL FIRE FIGHTING PRECAUTIONS/INSTRUCTIONS:

Toxic and irritating vapors may be released if the product melts or burns in a fire. Use self-contained respiratory protection.

6. ACCIDENTAL RELEASE MEASURES

IN CASE OF SPILL OR OTHER RELEASE:

Material is shipped as an article. Pick up and place into proper storage. Use caution in handling as edges are very sharp.

Spills and releases may have to be reported to Federal and/or local authorities. See Section 15 regarding reporting requirements.

7. HANDLING AND STORAGE

NORMAL HANDLING: (Always wear recommended personal protective equipment.)

Handle with care. Edges of material are very sharp.

STORAGE RECOMMENDATIONS:

Store in a facility that will protect product from physical damage and/or contamination with foreign material. (Do not exposure to moisture or any other substance.)

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

Use mechanical ventilation when cutting, grinding, sanding and/or welding product.

PERSONAL PROTECTIVE EQUIPMENT

SKIN PROTECTION:

Wear cut-resistant gloves.

EYE PROTECTION:

Wear safety glasses when grinding, sanding, cutting and/or welding product.

RESPIRATORY PROTECTION:

If necessary to meet exposure limits listed in section 8, wear an air-purifying respirator during grinding, sanding, cutting and/or welding activities.

ADDITIONAL RECOMMENDATIONS:

A safety shower, eyewash or another source of running water should be available in areas where grinding, sanding, cutting and/or welding operations take place.



METGLAS® 2605S3A Iron Base Magnetic Core

EXPOSURE GUIDELINES

INGREDIENT NAME ACGIH TLV OSHA PEL OTHER LIMIT Chromium (trivalent) $0.5 \text{ mg/m}^3 \text{ (TWA)}$ 1 mg/m^3 (TWA) for None metal 5 mg/m³ (TWA) as 10 mg/m^3 (TWA) as Iron None iron oxide iron oxide fume Silicon $10 \text{ mg/m}^3 \text{ (TWA)}$ 15 mg/m^3 (TWA) as None total dust. 5 mg/m³ (TWA) as respirable dust.

- * = Limit established by Honeywell International, Inc.
- ** = Workplace Environmental Exposure Level (AIHA).
- *** = Biological Exposure Index (ACGIH).

OTHER EXPOSURE LIMITS FOR POTENTIAL DECOMPOSITION PRODUCTS:

None

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: A shiny silver to gray metallic ribbon.

PHYSICAL STATE: Solid

MOLECULAR WEIGHT: Metal alloy mixture CHEMICAL FORMULA: Metal alloy mixture

ODOR: None

SPECIFIC GRAVITY (water = 1.0): 7.29 SOLUBILITY IN WATER (weight %): None

pH: Not applicable

CURIE TEMPERATURE: $676 \, ^{\circ} F \, (358 \, ^{\circ} C)$ CRYSTALLIZATION TEMP: $995 \, ^{\circ} F \, (535 \, ^{\circ} C)$ VAPOR PRESSURE:Not applicableVAPOR DENSITY (air = 1.0):Not applicable

EVAPORATION RATE: Not applicable **COMPARED TO:**

% VOLATILES: None FLASH POINT: None

(Flash point method and additional flammability data are found in Section 5.)

10. STABILITY AND REACTIVITY

NORMALLY STABLE? (CONDITIONS TO AVOID):

Normally stable.

INCOMPATIBILITIES:

Product can be attacked by moisture and corrosive materials.

Document Control Number: FRM 8200.004 Rev. 01 Title: 2605S3A Iron Base Magnetic Core



METGLAS® 2605S3A Iron Base Magnetic Core

HAZARDOUS DECOMPOSITION PRODUCTS:

Toxic vapors and metallic fumes may be released if melted or ignited in a fire (see section 3).

HAZARDOUS POLYMERIZATION:

Not applicable.

11. TOXICOLOGICAL INFORMATION

IMMEDIATE (ACUTE) EFFECTS:

Iron: LD₅₀ (oral, rat) 30 g/kg Silicon: LD₅₀ (oral, rat) 3.16 g/kg

DELAYED (SUBCHRONIC AND CHRONIC) EFFECTS:

Chromium: Repeated inhalation of trivalent chrome may cause respiratory tract inflammation and lung effects.

Silicon: Repeated inhalation of silicon may cause lung effects.

OTHER DATA:

None

12. ECOLOGICAL INFORMATION

Not anticipated to present an ecological hazard.

13. DISPOSAL CONSIDERATIONS

RCRA

Is the unused product a RCRA hazardous waste if discarded? No If yes, the RCRA ID number is:

OTHER DISPOSAL CONSIDERATIONS: Observe all Federal, State, and Local Environmental regulations. Some local regulations may restrict disposal of metallic waste based on composition. Recycling of metallic products is recommended where recycling programs are available.

The information offered here is for the product as shipped. Use and/or alterations to the product such as mixing with other materials may significantly change the characteristics of the material and alter the RCRA classification and the proper disposal method.

14. TRANSPORT INFORMATION

US DOT PROPER SHIPPING NAME:
US DOT HAZARD CLASS:
Not regulated
Not regulated
Not regulated

For additional information on shipping regulations affecting this material, contact the information number found in Section 1.

Document Control Number: FRM 8200.004 Rev. 01 Title: 2605S3A Iron Base Magnetic Core



METGLAS® 2605S3A Iron Base Magnetic Core

15. REGULATORY INFORMATION

TOXIC SUBSTANCES CONTROL ACT (TSCA)

TSCA INVENTORY STATUS: An article manufactured from ingredients listed on the TSCA Inventory.

OTHER TSCA ISSUES: Non

SARA TITLE III/CERCLA

"Reportable Quantities" (RQs) and/or "Threshold Planning Quantities" (TPQs) exist for the following ingredients.

INGREDIENT NAME

SARA/CERCLA RQ (lb)

SARA EHS TPQ (lb)

Chromium 5000 None

Spills or releases resulting in the loss of any ingredient at or above its RQ requires immediate notification to the National Response Center [(800) 424-8802] and to your Local Emergency Planning Committee.

SECTION 311 HAZARD CLASS: Not hazardous as shipped.

SARA 313 TOXIC CHEMICALS:

The following ingredients are SARA 313 "Toxic Chemicals". CAS numbers and weight percents are found in Section 2.

INGREDIENT NAME COMMENT

Chromium None

STATE RIGHT-TO-KNOW

In addition to the ingredients found in Section 2, the following are listed for state right-to-know purposes.

INGREDIENT NAME WEIGHT % COMMENT

No ingredients listed in this section.

ADDITIONAL REGULATORY INFORMATION:

None



METGLAS® 2605S3A Iron Base Magnetic Core

WHMIS CLASSIFICATION (CANADA):

Not a controlled product. Basis: Product as shipped.

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

FOREIGN INVENTORY STATUS:

Article: Ingredients are listed on Canadian DSL and European EINECS.

16. OTHER INFORMATION

OTHER INFORMATION: Contact Metglas®, Inc. if you have specific questions regarding the handling of or

applications for this product.



METGLAS® 2605S3A Iron Base Magnetic Core

Date	Rev. Number	Revision Description
October 2003	00	Initial release
02/06/13	01	Content review per J. Schwindel (system revised to maintain all Material Safety Data Sheets within ISODOC system and require minimum, a three year content review)

Issue Date: October 2003	Rev. Date: 02/06/13	Confidential	Yes ☑	No □
HS&E Leader Quality Manager				
J. Schwindel J. St	mith			